

LSSSG 2008 DOC 29**Draft****Environmental Code Of Conduct For Terrestrial Scientific Field Research In Antarctica****Background**

SCAR has developed a Code of Conduct for the guidance of scientists undertaking terrestrial scientific field research in Antarctica. Reference was made to the need for this Code during CEP IX (Paragraph 132), where SCAR offered to make a version available. The following text constitutes a provisional text that has been discussed within the SCAR community and with COMNAP. Further input from COMNAP is expected following the COMNAP meeting in June in St Petersburg, and at the meeting of the SCAR Delegates in July in St Petersburg. Amendments made in the light of those St Petersburg meetings will be conveyed to the SCAR Delegates in Moscow for comment. Once the document is completed it will be submitted as an Information Paper to the ATCM and CEP (in June 2009).

Introduction

Antarctica contains many unique geological, glaciological, and biological features. This landscape and its biological communities have limited natural ability to recover from disturbance. Many features could be easily and irreversibly damaged. This Code of Conduct provides recommendations how you can undertake scientific field activities so as to protect the Antarctic environment for future generations and to ensure that human presence will have as little impact as possible. All personnel undertaking scientific research should be familiar with this Code of Conduct.

The Protocol on Environmental Protection to the Antarctic Treaty (Madrid Protocol) provides the basis for environmental protection and management in the Antarctic. Climate change and increasing pressure from human activities, such as research, suggest that more detailed guidelines are needed to protect the unique features of Antarctica. This Code of Conduct is intended to complement the relevant sections of the Protocol and provide guidance for all researchers conducting scientific research on land, lakes, and ice.

This Code of Conduct applies to land based field research (e.g. limnological, terrestrial, coastal/littoral, glaciological, and geological) and conducted in the area of land and permanent ice south of 60 degrees south. A 'field' activity is defined here as any scientific activity, and the logistics to support this activity, which is conducted in the natural environment, irrespective of its duration.

All countries with permanent and summer scientific stations are encouraged to include this Code of Conduct within the Environmental Management Plan of the Station so as to ensure that personnel undertaking or supporting field scientific research follow this Code of Conduct.

It is recommended that this Code of Conduct be followed to the maximum extent possible and as long as it does not affect the safety of the expedition.

General Guidelines

Antarctic scientists potentially have a higher chance of carrying alien diaspores to Antarctic [and subantarctic] ecosystems than other Antarctic travellers because their field of study often takes them to alpine or northern polar habitats. In the process of conducting research within these habitats Antarctic scientists can inadvertently pick up diaspores on clothing, equipment and equipment cases. If these items are then taken to the Antarctic and they have not been cleaned/sterilised to remove or kill the diaspores, the opportunity to transfer such material to Antarctic ecosystems is created. The ecological potential for establishment of northern polar or alpine taxa is great as such species have pre-adaptations to cold environments. You should take care that your equipment is properly cleaned before it enters the Antarctic.

The implications of human transfer of taxa between locations can range from the modification of genetic structure of populations to changes in local biodiversity and subsequent flow-on effects on community dynamics. Such accidental movement of indigenous biota would also compromise scientific studies of molecular adaptation, regional evolution and biogeography and reduce the inherent value that Antarctica offers as a model scientific system with limited anthropogenic influence.

Your field activities in Antarctica should be designed to have as little environmental impact as possible.

To avoid introduction of alien species, chemical contamination, and transfer of materials between sites, before going into the field:

- Ensure that all your equipment and clothing, including footwear, is thoroughly cleaned.
- Avoid taking unnecessary packaging and materials into the field. Remember that several products used for packaging are prohibited in Antarctica, such as polystyrene beads or chips (Protocol for Environmental Protection, annex III, art 7)
- Everything taken into the field must be returned to your station for proper cleaning where that is practicable and safe to do so.
- Wherever possible, all precautionary measures should be taken to ensure collection and removal of human waste and grey water in compliance with the requirements of the Protocol for Environmental Protection.

You should take particular care in areas with sensitive biological or geological features such as bird and seal colonies, roosting areas, vegetated areas, freshwater lakes and ponds, sand dunes, screes, fluvial terraces, ice core pyramids and ventifacts.

Avoid areas where wildlife is easily disturbed, especially during the breeding season. You should only enter these areas when you have been issued with a permit by an appropriate (national) authority

Even if you have a permit, avoid unnecessary disturbance to Antarctic flora and fauna.

Take only those samples (geological material, biological material, ice) for which you have permits and protect resources by taking as small a sample as needed.

Choose sampling equipment which is the least destructive, when sampling the aquatic or coastal environment. You should sample carefully and avoid cumulative impact. Dredges, trawls and box corers should be used to a minimum as necessary for scientifically meaningful results, avoiding excessive and unnecessary sampling.

You should map, record (preferably using GPS coordinates), and report to your national operator the location of any spill, camp site, soil pit, drilling site, sampling site, or any other disturbance for the benefit of future researchers.

You should try to minimise your impacts when moving around in the environment:

- Stay on established trails whenever possible.
- Avoid walking on vegetated areas, streambeds, lake margins, and delicate rock and soil formations.
- Restrict ground vehicle usage to snow and ice surfaces, or designated tracks, wherever possible.
- Try to always use recognized helicopter landing sites and ensure that markers for helicopter pads are clearly visible from the air.
- Minimise the disturbance to wildlife by following the ATCM guidelines for operations of aircraft near concentrations of birds.
- You should report your planned activity to your National Operator as thoroughly as possible and well in advance, in order to allow a proper assessment of the environmental impact you may cause on the field site(s) you visit, as requested by Annex I of the Protocol for Environmental Protection.
- Restore any disturbances (for instance by replacing any displaced rock material where appropriate).
- Algae and invertebrates live beneath stones. Moving rocks and stones should therefore be minimized. Please do not build cairns.

Management of scientific field sites

Prior to conducting any scientific activity, it is essential that you carefully consider and clearly define the scope of your activity, including its area, duration, and intensity.

Be aware of the cumulative impacts of the activity, both by itself and in combination with other activities within the region. Consider lower impact alternatives to the activity and re-use of existing facilities wherever possible.

When working in Antarctic Specially Protected Areas (ASPAs) and Antarctic Specially Managed Areas (ASMAs) be aware of management plans, follow strictly the recommendations, and carry the permit for an ASPA.

In order to minimise environmental impacts of your field activity you should:

- Choose sites as close as possible to your research station, existing pathways, or field camp.
- Your field site should be visited by no more than the appropriate number of people required to carry out the fieldwork, complying with the principle ‘more people, more problems’.
- Where possible avoid areas that are especially vulnerable to disturbance such as vegetated areas, breeding sites, patterned ground, and water bodies.
- Re-use existing sites wherever possible.
- Make sites no larger than needed for the proposed scientific activities.
- Keep your site tidy during use and restore it, as far as is practicable, after use.
- Avoid activities which could result in the dispersal of foreign materials into the environment. In particular, avoid the use of spray paint, and conduct activities such as sawing or unpacking inside a tent or hut.
- Secure equipment from being blown away or stolen by inquisitive birds (e.g. skuas, penguins), and remember that the use of products like polystyrene beads, chips or similar forms of packaging is prohibited in Antarctica.
- Ensure there is the capacity to prevent and respond promptly and effectively to any environmental accident or incident.
- Restore sites as far as practicable when your work is complete and take GPS coordinates for future reference.

Remember that sites may require subsequent monitoring to comply with the Protocol for Environmental Protection.

As it is important to prevent the introduction of foreign materials and contaminants into the environment:

- Avoid materials liable to shatter at low temperatures, e.g., polyethylene based plastics.
- Take care when handling fuel, chemicals and isotopes (stable or radioactive).
- Store and handle fuel and chemicals using appropriate containers.
- Use drip trays where possible when handling fuels or other liquids and take special care when handling fuel in high winds.
- Take equal care when handling waste chemicals and fuel.

You should report any environmental accident or incident to your national operator.

If you plan to install equipment in the field:

- Ensure an environmental impact assessment is undertaken prior to any installation, as requested by Annex I of the Protocol for Environmental Protection.
- Clearly identify any equipment by country, name of the principal investigator and year of installation, and state the duration of the deployment.

- Make sure installations can be retrieved when no longer required, unless it is impractical or result in a higher impact to remove instruments/equipment rather than leaving it in the field (e.g. instruments placed in deep ice).

Do not displace materials or collect samples of any kind, except for scientific and educational purposes. Ensure that you have any required permits for sampling, and remember that the sample type and size may be specified in your permit.

When taking samples from live animals ensure that the requirements set out in the SCAR Scientific Code of Conduct for Experiments on Animals should be followed.

Field camps

Camping and scientific equipment should be appropriately cleaned before being brought into the Antarctic or before being transferred between sites, to avoid introduction of alien species, including intra-Antarctic transfers, chemical contamination, and transfer of materials between sites.

Minimise the environmental footprint of your field camp by:

- Locating it as far as practicable from lake margins, stream beds and associated fans, and vegetated areas, to avoid damage or contamination.
- Taking special care to ensure that no food or wastes are accessible to animals.
- Re-using campsites whenever possible.
- Keeping it tidy during use and restoring it, as far as is practicable, after use.
- Using solar and wind power as much as possible to minimize fuel usage.

Ensure that equipment and supplies are properly secured at all times to avoid dispersion by high winds or helicopter downdrafts. Remember that in some locations, high velocity katabatic winds can arrive suddenly and with little warning.

Remember that if you are working in an ASPA the management plan may have additional requirements for field camps.

Habitat specific guidelines

Lakes and streams

Aquatic ecosystems in Antarctica are extremely poor in nutrients (except those with animal influence) and thus very sensitive to anthropogenic pollution. All visitors must take care to eliminate or minimize releases of human wherever possible.

You should avoid walking in the stream and lake beds, or too close to their margins as this may disturb biota, affect bank stability and flow patterns. When a crossing must be made, use designated crossing points if available, otherwise walk on rocks.

Minimize the use of vehicles on lake ice if possible. If access to the water body is required for scientific research, use non-motorised boats whenever possible.

Ensure that all sampling equipment is tethered or otherwise secured and does not contaminate the water body.

Clean all sampling equipment before using it in another water body in order to avoid cross-contamination. Alternatively, use separate equipment in different sites.

Wherever possible you should use flumes, not weirs, when monitoring streams, or ensure that the stream will remain as it was before the study.

You should try to avoid the use of stable isotope tracers at the complete ecosystem level, use them as much as possible only in closed vessels. You should consider naturally occurring tracers. Radioactive isotope tracers should never be used, except in closed vessels. No stable or radioactive isotope tracers waste should be disposed into ecosystems. You should document any tracer use (location, type of tracer, amount).

To avoid introduction of contaminants or disturbance of the stratification of the water body and its sediments:

- Do not swim or dive in lakes, unless it is required for scientific purposes and your National Operator has allowed the environmental impact you may cause, as requested by Annex I of the Protocol for Environmental Protection.
- Remove all unwanted water and sediment materials from the site, even on permanently ice-covered lakes, rather than discharging them back into the lake.
- Ensure that you leave nothing frozen into the lake ice that may ablate out.
- Consider using ROV's as a tool for under water and under ice research, both in lakes and coastal/littoral habitats.

Terrestrial environments

Terrestrial vegetation comprises very slow growing species. Damage by trampling will extend for years or even decades. Many terrestrial invertebrate species live in soils and feed on soil algae. You should use walking paths in order to avoid disturbing large areas of vegetation and soil.

Clean all equipment and footwear, as far as is practicable, between sites to avoid transfer of propagules among sites.

When sampling in vegetated areas, ensure that the vegetation is replaced and the site restored as far as is practical.

Limit the use of mechanical equipment for sample collection, whenever possible.

When sampling soil in desert areas, use groundsheets to place excavated material on to minimise the extent of damage to the desert pavement. Backfill soil pits and as far as practicable replace the desert pavement materials at the soil surface to restore the site appearance.

Do not disturb or remove rocks, fossils, or ventifacts unless it is absolutely necessary for your research and your National Operator has assessed and allowed the environmental impact you may cause, as requested by Annex I of the Protocol for Environmental Protection.

Glaciers and ice fields

Remember that the use of water in hot water drills could contaminate the isotopic and chemical record within the glacier ice.

Given that the hydrological systems under glaciers and ice sheets are connected to the wider environment and downstream contamination could occur, exercise caution when using chemical-based fluids to drill to the base of an ice sheet. Deep ice core drilling is subject to an Environmental Impact Assessment